

142  
77570  
North Central States, Type of Farming Areas: Ratio of Selected Crops to Feed Pattern, 1929 and 1946 YIELD PER ACRE, AND LIVESTOCK

CLASSIFICATION	STATE	CORN 31		CULTIVATED CROPS 30		SMALL GRAINS 34		ALL HAY 35		BUNDLES GRAIN	
		1929	1946	1929	1946	% 1929	% 1946	1929	1946	1929	1946
1 N.D. 164		1	2	2.2	2.2	2	3	9	12	3.8	4.9
2 N.D. 167		3	5	2.2	2.2	7.4	5.3	11	14	10	14
3 N.D. 168		4	4	2.2	2.2	7.3	6.2	14	10	10	14
4 N.D. 168		1	4	2.2	2.2	7.2	5.3	13	11	10	14
5 N.D. 169		2	5	2.3	2.3	7.7	6.1	11	12	10	14
6 N.D. 170		1	4	2.1	2.1	6.8	3.8	11	13	14	14
7 N.D. 170		2	7	1.9	2.2	6.9	5.2	10	12	10	14
8 N.D. 171		4	10	1.6	1.6	7.7	5.4	10	11	9	13
9 N.D. 170		6	10	2.3	2.3	7.1	4.9	10	12	15	17
10 N.D. 172		5	10	2.3	2.3	7.1	5.2	9	11	17	18
11 N.D. 172		11	11	2.3	2.3	6.4	5.2	10	14	18	22
12 N.D. 173		4	5	2.4	2.4	6.2	4.1	11	12	13	14
13 N.D. 174		12	14	2.4	2.4	6.0	5.6	10	11	12	14
14 N.D. 174		17	17	2.4	2.6	5.3	5.0	11	14	18	20
15 N.D. 174		17	17	2.6	2.8	5.6	4.7	12	20	15	22
16 N.D. 174		13	14	2.6	2.8	5.6	4.7	10	12	15	17
17 N.D. 174		3	3	2.5	2.5	6.6	6.8	6.0	13	14	14
18 N.D. 175		4	5	2.4	2.4	5.3	5.1	8	12	15	15
19 N.D. 175		3	3	2.4	2.6	6.0	6.0	13	14	14	15
20 N.D. 175		8	17	3.6	3.7	14	27	21	24	30	34
21 N.D. 175		11	11	2.8	3.0	13	13	14	15	17	19
22 N.D. 175		11	11	2.8	3.0	20	20	21	21	21	21
23 N.D. 175		14	14	2.9	3.1	20	20	28	31	31	32
24 N.D. 175		27	27	3.8	4.5	29	28	44	44	44	57
25 N.D. 175		22	16	3.7	3.8	23	18	49	52	34	57
26 N.D. 175		40	35	3.7	3.8	41	40	34	37	37	34
27 N.D. 175		3.8	3.7	3.4	4.0	3.9	3.9	46	31	37	43
28 N.D. 175		4.8	4.2	3.3	3.5	4.8	4.3	42	23	17	9
29 N.D. 175		2.7	2.0	3.1	3.7	2.8	2.0	54	41	15	15
30 N.D. 175		2.6	2.3	2.6	2.6	2.6	2.4	44	28	24	24
31 N.D. 175		19	19	2.2	2.3	19	19	34	37	34	37
32 N.D. 175		2.2	2.2	2.0	2.2	2.2	2.2	46	41	16	16
33 N.D. 175		11	11	1.9	1.9	11	11	55	43	11	11
34 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
35 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
36 N.D. 175		10	12	2.2	2.2	10	10	55	52	10	10
37 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
38 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
39 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
40 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
41 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
42 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
43 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
44 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
45 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
46 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
47 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
48 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
49 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
50 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
51 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
52 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
53 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
54 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
55 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
56 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
57 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
58 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
59 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
60 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
61 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
62 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
63 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
64 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
65 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
66 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
67 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
68 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
69 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
70 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
71 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
72 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
73 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
74 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
75 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
76 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
77 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
78 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
79 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
80 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
81 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
82 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
83 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
84 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
85 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
86 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
87 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
88 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
89 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
90 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
91 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
92 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
93 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
94 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
95 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
96 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
97 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
98 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
99 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
100 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
101 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
102 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
103 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
104 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
105 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
106 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
107 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
108 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
109 N.D. 175		10	10	2.5	2.5	10	10	55	52	10	10
110 N.D. 175		17	16	2.0	2.1	18	16	39	37	17	17
111 N.D. 175		16	16	2.0	2.1	16	16	39	37	17	17
112 N.D. 175		11	11	1.9	2.0	11	11	55	43	11	11
113 N.D. 175		11	11	1.9	2.0	10	11	55	43	11	11
114 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
115 N.D. 175		12	8	1.8	2.0	13	12	57	57	12	12
116 N.D. 175		7	12	2.2	2.2	7	12	57	52	7	12
117 N.D. 175		10	10	2.5	2.5	10					



CLASSIFICATION	CORN		SMALL GRAINS		ALL HAY		GRASS CROPS		HAY CROPS		HAY CONSUMED		
	All CORN		Corn for Green		%		1929		1929		ANIMAL UNITS		
	% 1929	Total Yield per Acre	Yield per Acre	Wheat	Barley	1929	1929	1929	1929	1929	1929	1929	Produced per
AREA STATE	1929	1930	1946	1929	1946	1929	1929	1929	1929	1929	1929	1929	Hay - Consumed
23 S.D. 180	3.6	3.2	2.2	3.4	4.0	1.0	1.4	2.0	2.3	3.9	6.9	81	3.559 3545
34 S.D. 182-A	4.2	3.6	2.6	3.4	4.7	1.1	1.4	1.4	1.7	3.9	8.6	103	2.215 2371
35 S.D. 182-B	4.7	4.1	3.2	3.6	4.8	1.4	1.7	1.1	1.6	4.9	11.0	134	1.449 1777
NEAR BSA	5.0	3.3	3.6	5.5	5.1	2.9	2.3	1.3	1.4	1.360	2.3	11.7	3.958 3333
Minn. B	4.4	3.9	3.1	4.0	4.4	3.2	1.4	1.1	1.1	1.392	7.3	126	1.771 4345
Town 3	5.3	4.1	3.7	4.0	5.5	2.5	1.9	2.0	1.1	2.910	5.5	129	2.304 3575
36 Near 187	3.0	2.3	2.4	2.5	3.0	1.2	1.2	1.0	1.0	3.07	8.18	17	5396 5591
37 Near 186	1.8	1.7	2.1	1.8	1.1	1.3	1.1	1.1	1.1	1.1	1.1	1.1	4003 4145
28 Near 184	2.1	2.1	2.3	2.4	2.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
39 Near 183	1.4	1.4	2.2	2.3	1.6	1.6	1.6	1.6	1.6	1.256	1.268	3.2	2.636 2718
40 Near 185	1.0	2.6	2.8	4.2	2.6	2.0	2.1	2.1	2.1	2.1	2.1	2.1	3666 4229
41 Near 185-B	1.6	1.1	2.0	2.2	1.7	1.3	1.4	1.4	1.4	1.227	1.274	7	2.082 1792
42 Near 187	1.4	1.5	2.1	2.3	1.4	1.1	1.3	1.4	1.4	1.147	1.148	1.5	5404 4924
43 Near 186	3.7	3.7	2.1	2.3	4.4	3.2	3.0	2.3	1.3	1.147	1.148	2.4	2.964 3259
44 Near 186	5.8	3.7	2.1	2.3	5.0	5.0	4.7	2.8	2.8	1.142	1.156	1.5	3129 3128
45 Near 185	8.6	3.8	1.8	3.4	5.8	4.7	2.8	2.8	1.3	1.152	1.156	1.5	2.174 1863
46 Near 185	5.1	3.7	2.4	1.4	5.2	4.1	2.3	2.0	1.4	1.165	1.168	2.0	1.771 4024
47 Near 185	4.4	3.0	2.6	2.8	4.4	3.6	4.5	4.5	4.5	1.246	1.246	1.5	4.047 4924
48 Near 185	5.1	4.4	3.0	2.6	5.1	4.3	3.2	2.6	1.8	1.149	1.158	1.5	4.128 3088
49 Near 185	5.1	3.7	3.1	3.3	5.1	4.3	3.2	2.6	1.8	1.149	1.158	1.5	4.128 3088
50 Near 185	5.0	4.9	2.6	2.5	5.1	4.7	2.6	2.5	1.7	1.142	1.157	1.5	4.128 3088
51 Kans. 4	5.0	4.9	2.6	2.5	5.0	4.7	6.1	4.8	1.0	1.143	1.144	3.4	4.128 3088
52 Kans. 11	7.6	2.6	1.4	1.5	3.0	3.5	2.3	2.0	1.4	1.165	1.168	2.0	4.660 4801
53 Kans. 7	1.9	1.1	1.4	1.4	2.6	3.2	1.7	1.7	1.7	1.171	1.179	1.5	4.603 3753
54 Kans. 6-A	2.6	1.9	1.8	3.0	2.8	2.8	1.5	1.5	1.5	1.172	1.179	1.5	4.529 5705
55 Kans. 12	2.0	1.4	1.3	1.5	2.0	3.4	1.4	1.3	1.4	1.174	1.181	2.4	4.710 4064
56 Kans. 10-A	7	6	1.2	1.4	1.6	2.0	1.5	1.5	1.5	1.174	1.177	1.5	4.710 4064
57 Kans. 10-B	7	6	1.4	1.4	2.2	2.7	1.7	1.7	1.7	1.177	1.184	1.5	4.710 4064
58 Kans. 9	7	7	1.3	1.4	1.2	1.2	1.5	1.5	1.5	1.174	1.181	1.5	4.710 4064
59 Kans. 6-B	1.4	1.5	1.6	1.5	1.8	2.3	1.4	1.4	1.4	1.175	1.179	1.5	4.710 4064
60 Kans. 2	3.6	4.0	3.2	3.4	3.9	4.2	3.0	3.0	1.6	1.176	1.183	1.5	4.710 4064
61 Kans. 2	3.5	3.0	2.9	2.9	5.0	4.5	1.0	1.0	1.0	1.177	1.177	1.5	4.710 4064
62 Kans. 6	3.9	3.3	2.0	2.0	5.2	4.8	2.0	2.2	1.7	1.178	1.183	1.5	4.710 4064
63 Kans. 5	4.1	3.8	2.5	4.6	4.6	2.6	2.4	1.7	1.7	1.179	1.184	1.5	4.710 4064
64 Kans. 3	4.1	3.9	2.3	2.2	3.2	3.2	4.0	4.0	1.3	1.179	1.179	1.5	4.710 4064
65 Kans. 7	3.6	4.0	3.2	3.4	3.9	4.2	3.0	2.7	2.7	1.179	1.179	1.5	4.710 4064
66 Kans. 9	3.1	2.9	2.2	2.3	3.6	3.0	1.4	2.0	1.2	1.180	1.180	1.5	4.710 4064
67 Kans. 4	2.6	2.4	2.7	2.7	3.1	2.3	2.4	2.4	1.2	1.181	1.181	1.5	4.710 4064
68 Kans. 10-A	3.7	4.0	2.6	2.6	5.2	5.6	1.5	1.5	1.5	1.182	1.182	1.5	4.710 4064
69 Kans. 10-B	2.9	3.3	2.6	2.6	7.5	8.4	4.5	3.6	3.6	1.183	1.183	1.5	4.710 4064
70 Kans. 1-E	4.2	3.1	2.3	2.3	3.6	3.6	1.5	1.5	1.5	1.184	1.184	1.5	4.710 4064
71 Kans. 1-B	3.9	3.6	2.8	2.8	4.1	4.1	1.5	1.5	1.5	1.185	1.185	1.5	4.710 4064
72 Kans. 1-A	4.0	2.1	2.8	3.1	4.2	4.2	1.5	1.5	1.5	1.186	1.186	1.5	4.710 4064
73 Kans. 6	4.9	3.5	3.7	4.0	3.9	3.9	1.5	1.5	1.5	1.187	1.187	1.5	4.710 4064
74 Iowa 4	4.4	3.9	4.1	4.1	5.7	4.5	2.5	2.5	2.5	1.188	1.188	1.5	4.710 4064
75 Iowa 5	4.8	3.5	4.8	4.8	4.9	4.9	1.5	1.5	1.5	1.189	1.189	1.5	4.710 4064



CLASSIFICATION	STATE	AREA	CORN		SMALL GRAINS		ALL HAY		HAY-CONSUMING ANIMAL UNITS		Pounds Grain Produced per Hay-Consuming A.U.	
			All Corn Grown for Grain		% 1929 Total Yield per Acre		% 1929 Total Crop Yield per Acre		% 1929 Total Crop Yield per Acre		per 100 Acres	
			Crop Land	Residues	1929	1946	1929	1946	1929	1946	1929	1946
76	Wisc 2-0	2-0	2.9	4.3	4.4	4.4	2.0	2.6	2.8	3.0	3.6	3.5
77	Wisc 2-0	1-6	1.0	4.1	4.3	2.2	1.6	2.5	2.9	1.8	4.9	4.6
78	Wisc 2-1	1-9	1.4	4.0	4.1	2.1	1.6	3.8	2.7	1.8	3.4	4.5
79	Wisc 2-0	1-6	1.6	4.0	4.1	2.0	2.0	4.0	2.6	1.8	3.7	4.5
80	Wisc 4	2-1	2.2	3.1	3.5	2.5	2.6	2.9	1.4	1.5	2.6	3.0
81	Wisc 3-0	1-7	1.7	3.7	3.8	1.5	3.0	3.2	6.3	1.7	5.7	10.1
82	Wisc 3-1	1-9	1.9	3.6	3.6	2.0	2.0	2.9	2.9	1.6	2.2	2.2
83	Wisc 3-0	1-0	1.0	3.4	3.6	2.2	1.7	2.2	3.1	1.8	2.8	2.8
84	Wisc 5-0	8	1.7	3.6	3.7	1.8	3.7	2.6	5.3	1.8	4.6	4.6
85	Wisc 17	1	1	2.7	2.7	5	7	17	2.0	2.0	4.9	1.7
86	Wisc 6	2	4	4.2	4.3	10	10	2.2	2.2	2.2	6.5	6.5
87	Wisc 1-4	2-0	2.0	4.3	4.4	2.4	2.4	2.4	4.9	1.8	3.4	3.4
87	TLL 1	3-2	3.2	3.6	3.8	3.6	3.7	3.5	3.3	2.1	2.1	4.2
87	TND 1	3-2	3-4	3-1	3-1	3-5	4.0	3-4	2.7	1.9	1.9	1.9
88	Wisc 1-0	6	7	3-4	3-4	11	13	2.2	2.0	2.3	5.3	5.3
89	Wisc 1-0	1-9	1-9	2.9	3.0	1	1	2.6	2.6	1.6	3.7	3.7
90	Wisc 2-0	2-8	2-8	4-4	4-5	3-6	3-6	3-6	3-6	1.9	2.6	2.6
91	TLL 2	2-9	2-6	4-3	4-4	3-0	2-6	3-1	3-1	2.1	3-1	3-1
92	TLL 3	4-2	3-8	3-9	4-1	4-3	4-1	5-0	5-0	2.0	1.4	1.4
93	TLL 4	4-2	4-2	4-4	4-4	3-9	5-2	5-4	3-8	1.9	2.0	1.7
93	TND 4	4-5	4-4	3-3	3-6	4-8	5-6	4-0	3-4	1.7	1.7	1.7
94	TLL 4-0	4-3	3-9	3-6	4-0	4-6	4-5	3-9	3-6	1.9	1.7	1.7
95	TLL 5-0	3-4	3-0	3-7	3-8	3-6	3-1	3-0	2-1	1.5	1.7	1.7
96	TLL 5-4	4-1	3-3	3-3	3-6	4-7	4-4	2.7	2.2	1.6	1.8	1.8
97	Calif 0	2-4	2-4	3-9	3-9	2-5	2-5	1.0	9	1.8	1.0	1.0
97	Calif 0, TLL	2-4	2-4	3-9	3-9	2-5	2-5	1.0	9	1.8	1.0	1.0
98	TLL 7-8	2-4	1-7	2-2	2-6	2-7	2-0	7	8	1.2	1.4	1.4
99	TLL 7-0	2-7	1-8	2-3	2-6	2-9	2-0	1-2	1-2	1.2	1.2	1.2
100	TLL 9-8	2-7	1-8	2-8	3-1	3-0	2-1	1-0	6	1.5	1.6	1.6
101	TLL 9-1	3-4	1-9	2-6	2-9	3-5	2-1	1-8	1-8	1.3	1.4	1.4
102	TLL 8	3-5	2-4	2-9	3-4	3-7	2-7	2-2	2-0	1.4	1.4	1.4
102	TND 7	3-2	3-4	3-2	3-3	3-7	4-5	2-4	2-1	1.4	1.4	1.4
103	TLL 7-4	2-9	2-1	2-7	3-0	3-3	2-6	1-2	1-2	1.2	1.2	1.2
103	TND 5	4-1	3-8	3-7	4-0	4-5	4-7	3-2	3-1	1.8	1.8	1.8
104	Minnesota Co., TLL	4-4	4-6	3-2	3-2	3-5	4-6	4-0	3-4	2.9	2.9	2.9
104	TND 2	3-5	3-2	3-4	3-2	3-7	3-0	2-2	2-0	1.7	1.7	1.7
105	IND. 3	3-0	2-8	3-0	3-5	3-7	3-3	3-2	3-1	2.8	2.8	2.8
106	IND. 8	3-0	2-3	2-8	2-9	3-5	3-3	2-0	1-4	1.4	1.4	1.4
107	TND 10	2-9	2-2	3-2	3-2	3-4	3-3	3-2	2-0	1.4	1.4	1.4
108	TND 11	2-5	2-2	3-3	3-4	3-2	3-4	2-1	1-4	1.4	1.4	1.4
109	Ohio 4	3-7	2-8	3-1	3-3	4-2	3-4	1-6	1-2	1.3	1.3	1.3
109	Ohio 3	4-2	3-3	3-8	4-3	4-5	3-8	3-6	3-0	1-4	1-4	1-4
109	Ohio 9	4-2	3-9	4-0	4-6	4-6	4-6	3-3	3-0	1-5	1-5	1-5
110	Ohio 12	3-2	2-8	3-2	3-5	3-5	3-4	4-0	2-9	1-2	1.3	1.3
111	Ohio 14	2-2	1-8	3-6	3-8	2-6	2-2	1-1	1-1	1.2	1.3	1.3
112	Ohio 13	1-9	1-8	3-6	3-7	2-1	2-0	1-5	1-4	1.3	1.4	1.4
113	Ohio 11	1-9	1-6	3-6	3-9	2-0	1-7	2-4	2-0	1-4	1-4	1-4
114	Ohio 10	3-2	2-7	3-9	4-1	3-3	2-8	2-8	2-5	1-6	1-6	1-6
115	Ohio 9	1-9	1-7	3-7	3-9	2-1	2-1	2-8	2-8	1-7	1-8	1-8



CLASSIFICATION		CORN		SMALL GRAINS		WHEAT		ALL HAY		HAY CONSUMED		POUNDS HAY PRODUCED PER ANIMAL UNIT	
		% 1928	1929	% 1928	1929	% 1928	1929	% 1928	1929	1928	1929	% 1928	1929
116	Ohio 7	2.0	1.8	3.4	3.1	2.3	2.2	3.0	1.7	1.8	2.9	3.1	3.9
117	Ohio 8	1.5	1.5	3.3	3.6	1.9	1.8	1.8	1.6	1.7	3.6	3.7	4.7
118	Ohio 6	1.6	1.5	3.6	3.7	2.5	2.4	2.6	2.3	2.0	2.2	2.3	3.5
119	Ohio 5	3.0	2.4	3.6	4.1	3.1	2.6	2.1	2.3	1.5	2.1	2.3	3.0
120	Ohio 2	3.4	2.8	3.7	4.1	3.5	3.0	3.2	3.1	1.8	2.0	2.2	2.6
121	Ohio 6	3.2	3.2	3.5	3.6	4.0	4.0	3.2	3.1	1.7	1.8	1.9	2.0
122	Ohio 2A	2.6	2.5	3.7	4.0	2.6	2.6	3.6	3.3	1.9	2.0	1.7	1.8
123	Mich. 1	3.2	2.8	3.9	4.3	3.5	3.3	3.8	3.3	1.9	2.0	2.1	2.1
124	Mich. 1	2.4	2.6	3.6	3.7	2.9	2.8	3.2	3.0	2.1	2.1	2.6	2.6
125	Mich. 2	1.7	1.9	3.0	3.2	2.1	2.2	2.9	2.8	1.7	1.8	2.2	2.2
126	Mich. 3	1.4	1.6	3.1	3.3	1.9	2.0	1.6	1.8	1.9	2.0	1.7	1.8
127	Mich. 4	1.6	1.9	3.0	3.1	2.3	2.4	2.8	2.9	1.9	2.0	2.3	2.3
128	Mich. 5	1.4	1.8	3.1	3.3	2.3	2.6	2.6	2.7	2.0	2.1	2.5	2.5
129	Mich. 6	1.4	1.7	3.2	3.3	2.3	2.6	2.4	2.3	2.1	2.1	2.9	2.9
130	Mich. 7	1.2	1.2	3.2	3.2	2.9	2.9	3.2	3.0	1.9	1.9	2.2	2.2
131	Mich. 8	1.1	1.4	3.2	3.2	3.3	4.1	2.8	2.3	2.1	2.1	2.6	2.6
132	Mich. 9	1.1	1.2	2.8	2.8	1.8	1.7	2.1	1.9	1.8	1.9	2.1	2.1
133	Mich. 10	1.1	1.2	2.8	2.8	2.6	2.6	2.2	1.9	1.7	1.9	2.1	2.1
134	Mich. 11	1.1	1.2	2.7	2.8	2.1	2.0	1.7	1.6	1.5	1.5	2.9	2.9
135	Mich. 12	1.1	1.0	2.7	2.8	1.9	1.9	1.6	1.5	1.7	1.7	1.9	1.9
136	Mich. 13	1.1	1.2	3.0	3.1	1.6	4	1.5	1.1	1.9	1.9	3.5	3.5
137	Mich. 14	1.1	1.2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	5.2	5.2
138	W. Va. 1	7	7	3.0	3.3	1.2	1.2	2.1	2.0	1.5	1.5	2.4	2.4
139	W. Va. 2	9	9	3.3	3.3	1.2	1.2	1.9	1.6	1.6	1.6	2.4	2.4
140	W. Va. 4	12	12	3.8	3.8	1.6	1.5	1.9	1.6	1.3	1.3	2.4	2.4
141	W. Va. 5	15	15	3.5	3.5	1.6	1.6	1.3	1.2	1.3	1.3	2.4	2.4
142	W. Va. 6	3.5	3.5	2.4	3.4	4.1	4.1	3.7	3.7	2.5	2.5	3.4	3.4
143	W. Va. 7	2.9	1.8	2.3	3.9	3.7	2.5	3.4	3.1	1.3	1.8	5.4	5.4
144	W. Va. 8	2.6	2.4	2.8	3.9	3.4	3.1	3.1	2.9	1.3	1.8	5.7	5.7
145	W. Va. 9	2.1	1.6	3.2	5.3	2.5	1.9	8	5	1.2	1.7	6.7	6.7
146	W. Va. 10	2.2	1.3	3.0	4.5	2.8	1.6	8	4	1.4	1.8	5.3	5.3
147	W. Va. 11	1.7	1.5	3.4	5.7	2.0	1.8	1.8	1.5	1.5	1.5	5.5	5.5
148	W. Va. 12	1.7	1.5	3.4	5.7	2.0	1.7	1.8	1.5	1.5	1.5	7.1	7.1
149	W. Va. 13	1.7	1.5	3.4	5.7	2.0	1.7	1.8	1.5	1.5	1.5	7.3	7.3
150	W. Va. 14	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
151	W. Va. 15	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
152	W. Va. 16	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
153	W. Va. 17	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
154	W. Va. 18	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
155	W. Va. 19	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
156	W. Va. 20	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
157	W. Va. 21	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
158	W. Va. 22	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
159	W. Va. 23	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
160	W. Va. 24	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
161	W. Va. 25	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
162	W. Va. 26	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
163	W. Va. 27	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
164	W. Va. 28	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
165	W. Va. 29	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
166	W. Va. 30	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
167	W. Va. 31	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
168	W. Va. 32	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
169	W. Va. 33	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
170	W. Va. 34	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
171	W. Va. 35	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
172	W. Va. 36	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
173	W. Va. 37	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
174	W. Va. 38	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
175	W. Va. 39	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
176	W. Va. 40	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
177	W. Va. 41	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
178	W. Va. 42	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
179	W. Va. 43	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
180	W. Va. 44	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
181	W. Va. 45	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
182	W. Va. 46	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
183	W. Va. 47	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
184	W. Va. 48	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
185	W. Va. 49	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
186	W. Va. 50	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
187	W. Va. 51	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
188	W. Va. 52	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
189	W. Va. 53	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
190	W. Va. 54	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
191	W. Va. 55	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
192	W. Va. 56	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
193	W. Va. 57	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
194	W. Va. 58	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
195	W. Va. 59	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
196	W. Va. 60	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
197	W. Va. 61	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
198	W. Va. 62	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
199	W. Va. 63	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
200	W. Va. 64	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
201	W. Va. 65	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
202	W. Va. 66	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
203	W. Va. 67	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
204	W. Va. 68	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
205	W. Va. 69	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
206	W. Va. 70	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
207	W. Va. 71	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
208	W. Va. 72	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
209	W. Va. 73	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
210	W. Va. 74	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
211	W. Va. 75	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
212	W. Va. 76	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
213	W. Va. 77	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
214	W. Va. 78	2	2	2.9	3.0	1.6	2.9	2.3	2.2	1.8	1.9	2.5	2.5
215	W. Va. 79	2	2	2.9	3.0	1.6	2.9	2.3</					



## PERCENTAGE OF HARVESTED CROPLAND IN SELECTED CROPS, AND LIVESTOCK-FEED PATTERN, 1929 AND 1946

In 1929 and 1946 all indicators of a face and a long time adjustment (1929 and respectively 1946 acreage) are known data, but yields listed under 1929 are generally a two-year average and "normal" yield. Yields for 1946 are those expected after adoption of the recommended crop change from 1929. Forecast data listed for 1949 are expected to be B.H.C. data for January 1, 1930 (but numerous variations from this rule occur).

See accompanying maps for location of areas.

of the four bordering southern states is on page 5.  
Gaining a minimum original weight calculated from the mean weight of 0.87 to 1.0 to 1.1 milliliters.

0.51 to other cattle; 1.14 to horses and mules; 0.04 to sheep, and 0.045 to chicken.  
Any consuming animal units calculated by giving weight to numbers on January 1st of 1.0 to millions; 0.75 to other cattle; 1.0 to horses and mules, and 0.12 to sheep.

## PRODUCTION PLANNING SECTION

A. A. A.  
May 12, 1936

